

## EAST Search History

## EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L6	1	("20060208567").PN.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2010/09/16 16:53
L7	1	("5838726").PN.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2010/09/16 16:53
L8	220	(remote seperate) with transmitter same attenuation	US-PGPUB; USPAT; EPO	OR	OFF	2010/09/16 16:53
L9	212380	(conductor wir\$3 connection) with length	US-PGPUB; USPAT; EPO	OR	OFF	2010/09/16 16:53
L10	16	L9 same transmitter same (wall adj outlet AC adj line utility grid)	US-PGPUB; USPAT; EPO	OR	OFF	2010/09/16 16:53
L11	150	(340/310.18).CCLS.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2010/09/16 16:53
L12	11	("4001527"   "5036214"   "5731664"   "5738496"   "5793125"   "5839097"   "5864184"   "5895985"   "6211581"   "6297746"   "6374079").PN. OR ("7023357").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2010/09/16 16:53
L13	9	("4418333"   "4742475"   "5107184"   "5491463"). PN. OR ("6950010"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2010/09/16 16:53
L14	103	("4189713"   "4200862"   "4367455"   "4377754"   "4387371"   "4398178"   "4418333"   "4429299"   "4430639"   "4467314"   "4518945"   "4524288"   "4628440"   "4638299"   "4703306"   "4755792"   "4992774"   "4998024"   "5005187"   "5072216"   "5109222").PN. OR ("5491463").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2010/09/16 16:53

L15	8	("4418333"   "4742475"   "5107184"   "5491463"   "6587739"   "6807463"   "6853291"   "6987444"). PN. OR ("7336192"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2010/09/16 16:53
L16	1082	divid\$3 adj3 transmitter	US-PGPUB; USPAT; EPO	OR	OFF	2010/09/16 16:53
L17	268	L16 and (PLC power with communication)	US-PGPUB; USPAT; EPO	OR	OFF	2010/09/16 16:53
L18	150153	(PLC power adj line adj communication)	US-PGPUB; USPAT; EPO	OR	OFF	2010/09/16 16:53
L19	8167	transmitter with (display control button) with (part section)	US-PGPUB; USPAT; EPO	OR	OFF	2010/09/16 16:53
L20	167	L18 and L19	US-PGPUB; USPAT; EPO	OR	OFF	2010/09/16 16:53
L21	485	((307/1) or (307/3)). OCLS.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2010/09/16 16:53
L22	10	("20030169157"   "5995047"   "6054906"   "6128743"   "6445087"   "6697892"   "6747859"). PN. OR ("6999505"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2010/09/16 16:53
L23	6	("5801635"   "6445087"   "6597557").PN. OR ("6867689").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2010/09/16 16:53
L24	187	(connecting connection) adj cable same adapter same (computer PC information controller)	US-PGPUB; USPAT; USOCR	OR	OFF	2010/09/16 16:53
L25	5	(connecting connection) adj cable with length same adapter same (computer PC information controller)	US-PGPUB; USPAT; USOCR	OR	OFF	2010/09/16 16:53
L26	17	(connecting connection) adj cable same adapter same (meter\$2 feet inches)	US-PGPUB; USPAT; USOCR	OR	OFF	2010/09/16 16:53
L27	1159	(connecting connection) adj cable same (meter\$2 feet inches)	US-PGPUB; USPAT; USOCR	OR	OFF	2010/09/16 16:53

L28	710	(connecting connection) adj cable same (meter\$2 feet inches) and (computer PC information controller adapter)	US-PGPUB; USPAT; USOCR	OR	OFF	2010/09/16 16:53
L29	10	("20060180179"   "20070103887"   "20070261561"   "3980980"   "4031435"   "4375583"   "5808278"   "5917392"   "6066837"   "6703591").PN.	US-PGPUB; USPAT; EPO	OR	OFF	2010/09/16 16:53
L30	5	("20030149904"   "20050055587"   "20060129856"   "20060173655"   "7058480").PN.	US-PGPUB; USPAT; EPO	OR	OFF	2010/09/16 16:53
L31	1	("6412604").PN.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2010/09/16 16:53
L32	76089	transmitter same (remote seperate distant\$4 divid \$3)	US-PGPUB; USPAT; EPO	OR	OFF	2010/09/16 16:53
L33	1501	L32 and PLC	US-PGPUB; USPAT; EPO	OR	OFF	2010/09/16 16:53
L34	68	("4475209"   "4814941"   "4985695"   "5115368"   "5198806"   "5347167"   "5801635"   "5805053"   "6011682"   "6055435"   "6188557"   "6211581"   "6252754"   "6282075"   "6380852").PN. OR ("6747859").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2010/09/16 16:53
L35	387	PLC same DC same AC	US-PGPUB; USPAT; USOCR	OR	OFF	2010/09/16 16:53
L36	12	(US-20060208567-\$).did. or (US-7154382-\$ or US-5554968-\$ or US-5196823-\$ or US-6950010-\$ or US-6999505-\$ or US-6867689-\$ or US-5491463-\$ or US-7336192-\$ or US-6747859-\$ or US-7387529-\$).did. or (WO-2004088869-\$).did.	US-PGPUB; USPAT; EPO	OR	OFF	2010/09/16 16:53

L37	7	L36 and phase	US-PGPUB; USPAT; EPO	OR	OFF	2010/09/16 16:53
L38	1	("20040070465").PN.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2010/09/16 16:53
L39	80723	(three adj phase "3" adj phase)	US-PGPUB; USPAT; EPO	OR	OFF	2010/09/16 16:53
L40	3514	L39 and PLC	US-PGPUB; USPAT; EPO	OR	OFF	2010/09/16 16:53
L41	1288	L40 and converter	US-PGPUB; USPAT; EPO	OR	OFF	2010/09/16 16:53
L42	9	("4616286"   "5278771"   "5805053"   "6118639"   "6122157"   "6690283"   "6844810"   "7148799"   "7158041").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2010/09/16 16:53
L43	1	("7088972").PN.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2010/09/16 16:53
L44	18	("4688864"   "4928099"   "5020135"   "5412426"   "5450046"   "5781847"   "5945855"   "5963650"   "6157621"   "6198456"   "6208266"   "6377784"   "6434187"   "6704549"   "6748021"   "6766143"). PN. OR ("7088972"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2010/09/16 16:53
L45	7	("4688864"   "6377784"   "6434187"   "6704549"   "6748021"   "6766143"   "7088972").PN. OR ("7383030").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2010/09/16 16:53
L46	1	("7413471").PN.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2010/09/16 16:53
L47	1	L36 and (three adj phase "3" adj phase)	US-PGPUB; USPAT; EPO	OR	OFF	2010/09/16 16:53
L48	160793	("340").CLAS.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2010/09/16 16:53

L49	239	L40 and L48	US-PGPUB; USPAT; EPO	OR	OFF	2010/09/16 16:53
L50	1	("7007305").PN.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2010/09/16 16:53
L51	485	((307/1) or (307/3)). CCLS.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2010/09/16 16:53
L52	150	(340/310.18).CCLS.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2010/09/16 16:53
L53	220	(remote seperate) with transmitter same attenuation	US-PGPUB; USPAT; EPO	OR	OFF	2010/09/16 16:53
L54	220	(remote seperate) with transmitter same attenuation	US-PGPUB; USPAT; EPO	OR	OFF	2010/09/16 16:53
L55	150	(340/310.18).CCLS.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2010/09/16 16:53
L56	485	((307/1) or (307/3)). CCLS.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2010/09/16 16:53
L57	1082	divid\$3 adj3 transmitter	US-PGPUB; USPAT; EPO	OR	OFF	2010/09/16 16:53
L58	11	("4001527"   "5036214"   "5731664"   "5738496"   "5793125"   "5839097"   "5864184"   "5895985"   "6211581"   "6297746"   "6374079").PN. OR ("7023357").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2010/09/16 16:53
L59	76089	transmitter same (remote seperate distant\$4 divid \$3)	US-PGPUB; USPAT; EPO	OR	OFF	2010/09/16 16:53
L60	1501	L59 and PLC	US-PGPUB; USPAT; EPO	OR	OFF	2010/09/16 16:53

L61	12	(US-20060208567-\$).did. or (US-7154382-\$ or US-5554968-\$ or US-5196823-\$ or US-6950010-\$ or US-6999505-\$ or US-6867689-\$ or US-5491463-\$ or US-7336192-\$ or US-6747859-\$ or US-7387529-\$).did. or (WO-2004088869-\$).did.	US-PGPUB; USPAT; EPO	OR	OFF	2010/09/16 16:53
L62	1	L61 and (three adj phase "3" adj phase)	US-PGPUB; USPAT; EPO	OR	OFF	2010/09/16 16:53
L63	8	("4418333"   "4742475"   "5107184"   "5491463"   "6587739"   "6807463"   "6853291"   "6987444"). PN. OR ("7336192"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2010/09/16 16:53
L64	11	("4001527"   "5036214"   "5731664"   "5738496"   "5793125"   "5839097"   "5864184"   "5895985"   "6211581"   "6297746"   "6374079").PN. OR ("7023357").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2010/09/16 16:53
L65	9	("4418333"   "4742475"   "5107184"   "5491463"). PN. OR ("6950010"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2010/09/16 16:53
L66	212380	(conductor wir\$3 connection) with length	US-PGPUB; USPAT; EPO	OR	OFF	2010/09/16 16:53
L67	16	L66 same transmitter same (wall adj outlet AC adj line utility grid)	US-PGPUB; USPAT; EPO	OR	OFF	2010/09/16 16:53
L68	220	(remote seperate) with transmitter same attenuation	US-PGPUB; USPAT; EPO	OR	OFF	2010/09/16 16:53
L69	18	("4688864"   "4928099"   "5020135"   "5412426"   "5450046"   "5781847"   "5945855"   "5963650"   "6157621"   "6198456"   "6208266"   "6377784"   "6434187"   "6704549"   "6748021"   "6766143"). PN. OR ("7088972"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2010/09/16 16:53

L70	7	("4688864"   "6377784"   "6434187"   "6704549"   "6748021"   "6766143"   "7088972").PN. OR ("7383030").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2010/09/16 16:53
L71	4456	distributed with transmitter	US-PGPUB; USPAT; USOCR	OR	OFF	2010/09/16 16:53
L72	97	(distributed with transmitter) same attenuat\$4	US-PGPUB; USPAT; USOCR	OR	OFF	2010/09/16 16:53
L73	112	(distributed with transmitter) and PLC	US-PGPUB; USPAT; USOCR	OR	OFF	2010/09/16 16:53
L74	1	(distributed adj transmitter) and PLC	US-PGPUB; USPAT; USOCR	OR	OFF	2010/09/16 16:53
L75	0	(distributed adj transmitter) and (power with line with communication\$2)	US-PGPUB; USPAT; USOCR	OR	OFF	2010/09/16 16:53
L76	623	PLC same attenuat\$4	US-PGPUB; USPAT; EPO	OR	OFF	2010/09/16 16:53
L77	218	L76 and transmitter	US-PGPUB; USPAT; EPO	OR	OFF	2010/09/16 16:53
L78	11	("3783387"   "4772870"   "5239686"   "5241283"   "5257006"   "5347549"   "5448231"   "5812557"   "5952914"   "6229432").PN. OR ("6727804").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2010/09/16 16:53
L79	150	(340/310.18).CCLS.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2010/09/16 16:53
L80	485	((307/1) or (307/3)).CCLS.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2010/09/16 16:53
L81	76089	transmitter same (remote sepeate distant\$4 divid \$3)	US-PGPUB; USPAT; EPO	OR	OFF	2010/09/16 16:53
L82	1501	L81 and PLC	US-PGPUB; USPAT; EPO	OR	OFF	2010/09/16 16:53
L83	220	(remote sepeate) with transmitter same attenuation	US-PGPUB; USPAT; EPO	OR	OFF	2010/09/16 16:53

L84	12	(US-20060208567-\$).did. or (US-7154382-\$ or US- 5554968-\$ or US- 5196823-\$ or US- 6950010-\$ or US- 6999505-\$ or US- 6867689-\$ or US- 5491463-\$ or US- 7336192-\$ or US- 6747859-\$ or US- 7387529-\$).did. or (WO- 2004088869-\$).did.	US-PGPUB; USPAT; EPO	OR	OFF	2010/09/16 16:53
L85	15965	phased adj array	US-PGPUB; USPAT; EPO	OR	OFF	2010/09/16 16:53
L86	1565	phased adj array and (wireless adj power inductiv\$3)	US-PGPUB; USPAT; EPO	OR	OFF	2010/09/16 16:53
L87	456	touch adj switch same light	US-PGPUB; USPAT; EPO	OR	OFF	2010/09/16 16:53
S1	1	("20060208567").PN.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2008/09/03 17:08
S2	1	("5838726").PN.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2008/09/03 19:22
S3	197	(remote seperate) with transmitter same attenuation	US-PGPUB; USPAT; EPO	OR	OFF	2008/09/03 19:25

9/ 16/ 2010 4:59:23 PM

C:\ Documents and Settings\ mrutlandwallis\ My Documents\ EAST\ Workspaces\ 10551388  
 Multipart transmitter with distance seperation.wsp